

S67	2	("6737965").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	OFF	2005/02/03 09:28
S68	3	("6804999").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T	OR	OFF	2005/02/03 09:29
S69	1375	(tire tyre) and pressure and (transducer sensor).ti.	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 09:41
S70	0	S69 and transmitter with cas43	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 09:31
S71	24	S69 and transmitter with cas\$3	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 09:33
S72	2	S69 and transmitter with cas\$3.ti.	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 09:39
S73	0	S69 and "allen.ex"	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 09:40

S74	24	S69 and allen	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 09:40
S75	56510	pressure and (transducer sensor).ti.	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 09:44
S76	1375	S75 and (tire tyre)	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 09:45
S77	1	S76 and transmitter adj cas\$3	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 09:43
S78	24	S76 and allen	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 09:43
S79	11789	pressure and (transducer sensor) and (tire tyre)	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 12:06
S80	175	S79 and transmitter.ti.	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 11:33
S81	0	("2004/0155785").URPN.	USPAT	OR	ON	2005/02/03 10:48
S82	2159	S79 and transmitter	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 11:37

S83	130	S82 and (cas\$5 cover) near5 (opening aperature lid)	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 11:37
S84	90	S83 and (connect\$5 conduct\$5 lead wire plate) near5 (lid cover cas\$5 cover\$5 opening aperature)	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 11:37
S85	724	S79 and transmitter.clm.	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 11:37
S86	43	S85 and (cas\$5 cover) near5 (opening aperature lid)	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 11:37
S87	27	S86 and (connect\$5 conduct\$5 lead wire plate) near5 (lid cover cas\$5 cover\$5 opening aperature)	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 11:38
S88	0	("2003/0062738").URPN.	USPAT	OR	ON	2005/02/03 11:44
S89	9619	(pressure near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)) and transmitter and (power battery) and (lead wire conduct\$5 plate) and (cas\$5 cover\$5 lid)	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 12:11
S90	811	S89 and (tire tyre wheel). clm.	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 12:12

S91	81	((pressure near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)) and transmitter and (power battery) and (lead wire conduct\$5 plate) and (cas\$5 cover\$5 lid)).clm.	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 12:14
S92	30	S91 and (tire tyre wheel). clm.	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 12:14
S93	81	S89 and ((pressure near3 (sens\$4 evaluat\$5 estimat\$5 cell rate comput\$5 detect\$4 test\$4 meter gauge transducer measur\$4 indicat\$4 identif\$4 monitor\$4 determina\$4)) and transmitter and (power battery) and (lead wire conduct\$5 plate) and (cas\$5 cover\$5 lid)).clm.	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 12:22
S94	30	S93 and (tire tyre wheel). clm.	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 12:15
S95	9	S94 and (cas\$5 cover\$5 lid) near5 (lead wire conduct\$5 plate)	US-PGPU B; USPAT; DERWEN T	OR	ON	2005/02/03 12:23
S96	5	("5061917" "5289161" "5463374" "5546070" "5694111").PN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/02/03 14:23

S97	37	("5061917").URPN.	USPAT	OR	ON	2005/02/03 14:30
S98	8	("5889464").URPN.	USPAT	OR	ON	2005/02/03 14:30
S99	18	("4384482" "4510484" "4701742" "4745803" "4945337" "4970894" "5025244" "5040561" "5285189" "5289161" "5325901" "5473938" "5694111" "5781104" "5798689" "5889464" "6016102" "6031450"). PN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/02/03 14:45
S10 0	12	("4048614" "4090172" "4701742" "4737760" "4793277" "4890090" "4954677" "4975679" "5055826" "5119066" "5297424" "5573611"). PN.	US-PGPU B; USPAT; USOCR	OR	ON	2005/02/03 14:56